Thoug®

OUR THOUGHTS ON JAVASCRIPT, APIS, CONWAY'S LAW, RE-DECENTRALIZATION AND MUCH MORE

JULY 2014

ABOUT THE TECHNOLOGY RADAR

ThoughtWorkers are passionate about technology. We build it, research it, test it, open source it, write about it, and constantly aim to improve it – for everyone. Our mission is to champion software excellence and revolutionize IT. We create and share the ThoughtWorks Technology Radar in support of that mission. The ThoughtWorks Technology Advisory Board, a group of senior technology leaders in ThoughtWorks, creates the radar. They meet regularly to discuss the global technology strategy for ThoughtWorks and the technology trends that significantly impact our industry.

The radar captures the output of the Technology Advisory Board's discussions in a format that provides value to a wide range of stakeholders, from CIOs to developers. The content is intended as a concise summary. We encourage you to explore these technologies for more detail. The radar is graphical in nature, grouping items into techniques, tools, platforms, and languages & frameworks. When radar items could appear in multiple quadrants, we chose the one that seemed most appropriate. We further group these items in four rings to reflect our current position on them. The rings are:

ADOPT

We feel strongly that the industry should be adopting these items. We use them when appropriate on our projects.

TRIAL

Worth pursuing. It is important to understand how to build up this capability. Enterprises should try this technology on a project that can handle the risk.

ASSESS

Worth exploring with the goal of understanding how it will affect your enterprise.

HOLD

Proceed with caution.

Items that are new or have had significant changes since the last radar are represented as triangles, while items that have not moved are represented as circles. The detailed graphs for each quadrant show the movement that items have taken. We are interested in far more items than we can reasonably fit into a document this size, so we fade many items from the last radar to make room for the new items. Fading an item does not mean that we no longer care about it.

For more background on the radar, see thoughtworks.com/radar/#/faq

CONTRIBUTORS

The ThoughtWorks Technology Advisory Board is comprised of:

Rebecca Parsons (CTO)

Martin Fowler(Chief Scientist)

Badri Janakiraman

Brain Leke

Claudia Melo

Erik Doernenburg

Evan Bottcher

Hao Xu

Ian Cartwright

James Lewis

Jeff Norris

Jonny LeRoy

Mike Mason

Neal Ford

Rachel Laycock

Sam Newman

Scott Shaw

Srihari Srinivasan

Thiyagu Palanisamy

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

A **living CSS style guide** is a page on your site that uses your current CSS styles and acts as a reference for all the currently available visual elements and design patterns. This helps to tightly integrate design into your delivery process by promoting co-ownership of the UI and avoids duplication of styling across your application. Styling changes are visible in the guide immediately and changes propagate across your site from a central location. A sensible way to do this is with a well organized SASS/LESS file structure with semantically named elements that separates structure, aesthetics, and interaction.

With the proliferation of single-page JavaScript applications, we have found that slow Ajax calls, excessive DOM manipulation, and unexpected JavaScript errors in the browser can have a big impact on perceived website responsiveness. It is very useful to collect and aggregate this profiling information from real end-user's browsers. **Real user monitoring** (newrelic.com/real-user-monitoring) provides early warning and diagnosis of production issues, and helps pinpoint them to a specific locality.

In the last radar we talked about Capturing Explicit Domain Events, putting emphasis on recording the business-meaningful events that have triggered state transitions instead of just CRUD'ing entities. REST interfaces commonly use PUT to update resource state, however it's often better to POST to record a new event resource which captures intent. **REST without PUT** has a side-benefit of separating command and query interfaces and forces consumers to allow for eventual consistency.

We see multiple organizations creating a **Tailored Service Template** which can be used to quickly seed new services, pre-configured to operate within that organization's production environment. The template contains a default set of decisions such as web frameworks, logging, monitoring, build, packaging, and deployment approaches. This is a very useful technique for encouraging collaborative evolution while retaining lightweight governance.

Many deployments requires machine images for different server roles like applications and services,

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

iBeacons are the Apple implementation of the broader category of beacons, which are small devices that use low energy Bluetooth (BLE) to provide fine-grained proximity information for mobile phones and other devices. Despite the hype surrounding iBeacons and the limitations to the accuracy and reliability of the information they provide, we do feel that they open interesting opportunities as trigger points for interacting with your users in a contextually relevant manner.

AMD recently released an 8-core **ARM SoC** (System on a Chip) designed for servers and has committed to releasing an ARM SoC with integrated graphics in 2015 (anandtech.com/show/7989). ARM-based servers are an interesting alternative to x86 because they are significantly more energy efficient. For some workloads, building an ARM-powered Cloud is preferable.

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

PLATFORMS continued

Mapbox (mapbox.com) is an open mapping platform we have used on several projects. It allows a developer to quickly add a map to an application and to style the map. Mapbox can serve as an alternative to conventional mapping platforms, and it also allows for mobile friendly maps.

OpenID Connect is a standard protocol for federated identity built on OAuth 2.0. It addresses a long-standing need for a simple, web-based protocol to exchange trusted authentication and authorization information. Previous standards like SAML or generic OAuth 2.0 have proven too broad and complex to ensure universal compatibility. Our hope is that OpenID Connect can provide a useful basis for secure access to RESTful microservices with authenticated end-user identity.

Two-factor authentication significantly improves security over simple password-based systems. RFC 6238 — Time-based One-Time Password Algorithm (wikipedia.org/wiki/Time-based_One-time_Password_Algorithm) — is a standard for two-factor authentication. “Standard” authenticator apps from Google and Microsoft provide tokens to smartphone users, and there are a number of other client and server implementations readily available. With providers such as Google, Facebook, Dropbox and Evernote using **TOTP**, there really is no excuse to continue using simple password-based authentication where stronger security would be appropriate.

OSGi (Open Service Gateway initiative) is a specification that aims to remedy the lack of a module system for Java, allowing for dynamic reloading of components. While some projects (notably Eclipse) use OSGi successfully, other uses have exposed the hazards of adding abstractions to platforms never designed for them. Projects that rely on OSGi to define a component

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

TOOLS

CartoDB is an open-source GIS tool built on PostGIS and PostgreSQL. It allows for storage and searching of geospatial data using SQL. It also provides a handy JavaScript library, CartoDB.js, for map styling anddata visualization.

Automated database migrations are common on agile projects, and we are happy to see advances in the tools for this space. **Flyway** makes it as painless as possible to automate changes to databases. While not as feature-rich as some competing tools, we have used it on multiple projects and appreciate its low friction.

The big Cloud providers have clearly raised the bar for provisioning, monitoring, and con f guration, simplifying these tasks dramatically through powerful tools. Organizations that want to keep their compute and storage resources in-house are looking for similar solutions that work within their organizational context. **Foreman** (theforeman.org) has worked really well for us, and it is open-source software, too.

Device fragmentation in the Android world is often cited as a problem because it can be di f cult to understand how your applications will behave on a large number of disparate platforms. **GenyMotion** (genymotion.com) is an emulator which can mimic the characteristics of a number of di f erent Android devices. Our teams have found this very e f ective in giving fast feedback for our Android applications.

Owing to the increasing interest in Continuous Delivery and deployment pipelines, we see many teams trying to extend their Continuous Integration tooling with plugins that provide deployment pipelines at a visual level. **Go CD** is a tool that was built with the concept

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

TOOLS continued

Roslyn, a .NET compiler platform under the Apache License 2.0, is a next-generation set of compilers for C# and VB.NET written entirely as managed code. It provides access to the compiler as a service and includes

© July 2014, ThoughtWorks, Inc. All Rights Reserved.

LANGUAGES & FRAMEWORKS

The team behind **Java 8** had to fght two battles: the community forces encouraging forever backwards compatibility (a long hallmark of Java) and the technical challenge of making a deep language change mesh with existing libraries and features. They succeeded on both fronts, breathing new life into the Java Language and placing it on par with other mainstream languages in terms of functional programming features. In particular, Java 8 has excellent syntactic magic that allows seamless interoperability between Lambda blocks, the new higher-order function feature, and SAM (Single Abstract Method) interfaces, the traditional way of passing behavior.

We continue to see JavaScript frameworks as a useful way to structure code and bring better coding techniques to JavaScript. **AngularJS** is used widely by ThoughtWorks projects. However we do advise teams to assess other good alternatives such as Ember.js and Knockout.js.

The Clojure **core.async** library allows asynchronous communication using channels, with similar syntax and capabilities to Google's Go language. The core.async library solves many common problems in an elegant way, cleaning up event callback setup and adding simple concurrency primitives. It also highlights one of the advantages of the Lisp nature of Clojure: channels add operators that are consistent with existing Clojure operators, seamlessly weaving new functionality into the language core. In addition, core.async is supported in both Clojure and ClojureScript (despite JavaScript's lack of threads), utilizing underlying platform abstractions to provide a consistent interface to both languages.

We see lots of teams creating RESTful interfaces without paying any attention to hypermedia. **HAL** (stateless.co/hal_specifcation.html) is a simple format for incorporating hyperlinks into JSON representations which is easy to implement and consume. HAL is well supported by libraries for parsing and representing JSON, and there are HAL-aware REST client libraries such as Hyperclient (github.com/codegram/hyperclient) which make it easy to navigate resources by following links.

Q (github.com/kriskowal/q) is a fully Promises/A+ compliant implementation in JavaScript that lets users compose promises arbitrarily deeply without the need for the deeply nested callbacks that obscure control fow. Q takes care of threading fulfilled values and rejected promises through the appropriate code paths. The space of Promises/A+ compliant libraries is currently very active with alternatives like **Bluebird** (github.com/petkaantonov/bluebird) also rapidly gaining mindshare.

© July 2014, ThoughtWorks, Inc. All Rights Reserved.